# ESCORT Bonus

VAN





# THE SPECIAL EDITION ESCORT BONUS VAN















he Escort Bonus Van is a highly-productive light commercial . . . with a little extra style. It provides all the qualities of the renowned Escort Van range, with assured performance from either the standard 1.3 HCS petrol engine which can operate on unleaded petrol without adjustment, or an economical 1.8 diesel. The smart exterior - in a choice of Diamond White, Radiant Red or metallic Strato Silver - is enhanced by a distinctive body stripe and wheel trims, and the interior comforts include a quality P21 push button MW/LW radio.

# STANDARD FEATURES INCLUDE:

- Choice of 1.3 HCS petrol engine with 4-speed gearbox and 1.8 diesel engine with 5-speed gearbox
- 155 TR 13 tyres
- Bodyside tape stripe
- Bonus badging
- Full wheelcovers
- Three body colours available
  Diamond White, Radiant Red or
  Metallic Strato Silver, all at no
  additional charge
- Cab floor rubber mats
- Doors trimmed in vinyl
- Model P21 push button MW/LW radio
- Seats in vinyl trim

# THE SPECIAL EDITION ESCORT BONUS VAN

# TECHNICAL **FEATURES**

### 1.3 HCS\*\*

1297 CC CYLINDERS-4 IN-LINE COMPRESSION RATIO 9.5:1 WEBER 2 V CARBURETTOR MANUAL CHOKE MICROPROCESSOR CONTROLLED DISTRIBUTORLESS IGNITION III MAX. POWER DIN 46 KW (63 PS) AT 5000 RPM III MAX. TORQUE DIN 101 NM (10.3 MKP) AT 3000 RPM 4-SPEED GEARBOX = 97 RON LEADED (4 STAR PETROL)

- KERBMASS (KG): 865
- GROSS VEHICLE MASS (KG): 1350
- PAYLOAD (KG): 410†

### 1.8 DIESEL

1753cc CYLINDERS—4 IN-LINE COMPRESSION RATIO 21.5:1 INDIRECT MECHANICAL FUEL INJECTION ... GLOW-PLUG PRE-WARM COMPRESSION IGNITION MAX. POWER DIN 44KW (60PS) AT 4800 RPM MAX. TORQUE DIN 110 NM (11.2 MKP) AT 2500 RPM = 5-SPEED GEARBOX

- KERBMASS (KG): 935
- GROSS VEHICLE MASS (KG): 1425
- PAYLOAD (KG): 415†
- **BRAKES:**

Diagonally-split dual-line servo assisted system with front discs and self-adjusting 7" diameter rear drums.

### BODY:

Two side and twin rear doors

- CLUTCH SELF-ADJUSTING
- EXHAUST SYSTEM:

Long life

### FUEL TANK:

50 Litres (11 Gallons)

### RADIATOR FAN THERMOSTATICALLY CONTROLLED


# STEERING:


Variable ratio rack and pinion

# SUSPENSION:

Front independent with MacPherson struts, telescopic dampers and coil springs, rear leaf springs.

- + The payload is theoretical only and is based on vehicles with minimum equipment. Payload is calculated by subtracting the kerbweight of the vehicle plus the weight of the driver and passengers, if any, from the GVM. Account should then be taken of weight distribution and axle loading. It is the responsibility of the user to operate the vehicle within the axle plated weights. Payloads quoted in this publication are nett payloads, with an allowance of 75kg
- \* Calculated by the VDA method
- \*\* Can operate on 4 star or unleaded petrol, without adjustment.





LOADSPACE — PETROL AND DIESEL MODELS 69.2 cu.ft\*

# STANDARD EXTERIOR **FEATURES**

### BUMPERS:

Front full length polycarbonate, with integral

### FUEL TANK WITH HIGH SECURITY LOCK

### LIGHTS:

Halogen headlights Hazard warning flashers Rear fog lights Reversing lights Side repeat flashers

### LOCKS:

High security locking system

### MIRRORS:

Remote control driver and passenger side

### RADIATOR FAN:

Thermostatically controlled

# RECOVERY EYES:

Front and rear

### SUSPENSION:

Front, independent with MacPherson struts, telescopic dampers with coil springs. Rear, leaf springs.

# WHEELS:

5×13 wheels

### WINDSCREEN, LAMINATED:

With electric wash

2-speed wipers with intermittent wipe

# STANDARD INTERIOR **FEATURES**

### ASHTRAY

### CARPET:

Driver and passenger compartment

### CLOCK:

Quartz analogue

### CONTROLS:

Two steering column stalks controlling light function, front wash/wipe functions, indication and horn. Handbrake grip.

### DOORS:

Armrests with bins

Grab handle on front passenger side

### HEADLINING:

Perforated

### HEATER/VENTILATION:

Illuminated heater controls

Three-speed illuminated heater blower switch Four face level vents, air temperature, direction and flow controlled

Two side window demist vents

### HORN:

Single tone

### INSTRUMENTS:

Speedometer, odometer, trip recorder, fuel gauge, water temperature gauge, warning lights for oil pressure, direction indicators, high beam, ignition/alternator, brake failure, 'lights on'. Black instrument binnacle.

Your Ford Dealer

LIGHTS:

Front courtesy light, header mounted, operated by door switches.

### LOAD FLOOR:

Steel load floor

### MIRRORS:

Dipping rear view, black

### RADIO:

P21 push button MW/LW model

## SEAT BELTS:

Inertia reel

### SEATS:

Reclining Vinyl and cloth trim

# STEERING WHEEL:

Two-spoke soft feel with centre horn push

### SUN VISORS:

Two fixed

### SWITCHES:

Illuminated instrument panel mounted auxiliary micro-switches

# VAN BODY COLOURS/MAIN SEAT FABRIC

SOLID		VINYL	
	DIAMOND WHITE	SHADOW	
	RADIANT RED	SHADOW	1157

### METALLIC COLOUR (NO CHARGE)

STRATO SILVER SHADOW



Extra Cover Plans available, see your Ford Dealer for details

### ILLUSTRATIONS, DESCRIPTIONS AND SPECIFICATIONS

Ford policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. Where possible, any such changes which may be introduced after publication of this booklet but before it is supplied will be incorporated herein or announced by means of a notice prominently displayed in Ford Dealerships at the point of supply for the latest details always consult your Ford Dealer.

Published by Marketing Programmes, Ford Motor Company Limited, Brentwood, England. FA893 April 1989

Designed and produced by Allan Burrows Limited Ingatestone, Essex.

Printed in England by Jarrold & Sons Limited Norwich.



